

Cumulative Index 2004

Volume 20

January	TRAUMA, pages 1–198
April	BLOOD TRANSFUSION IN THE CRITICALLY ILL, pages 159–328
July	END-OF-LIFE CARE, pages 329–553
October	CRITICAL ILLNESS IN PREGNANCY, pages 555–807

Note: Page numbers of article titles are in **boldface** type.

A

- Abdomen
 - damage control surgery for
 - procedure for, 107–109
- Abdominal compartment syndrome
 - damage control surgery and, 114–115
- Abdominal injuries
 - blunt trauma and, 119
 - critical concepts in, **119–134**
 - diagnosis of, 120–123
 - CT in, 122–123
 - diagnostic peritoneal lavage in, 122
 - FAST in, 121
 - laparoscopy in, 123
 - local wound exploration in, 120–121
 - physical examination in, 120
 - radiography in, 121
 - management of
 - complications in, 130
 - mechanism of injury in, 119–120
 - of diaphragm, 123–124
 - of duodenum, 127–128
 - of hollow viscus, 128–129
 - of liver and spleen, 124–126
 - of pancreas, 126–127
 - penetrating trauma, 119–120
- Acidosis
 - damage control surgery for, 104
 - procedure for, 112–113
 - metabolic
 - nutritional support of critically ill and injured patients and, 150
- Acute fatty liver of pregnancy (AFLP), 771–774
 - clinical manifestations of, 772
 - described, 771
 - diagnosis of
 - laboratory investigation in, 772–773
 - pathophysiology of, 771–772
 - treatment of, 773–774
- Acute lung injury (ALI)
 - causes of, 578–580
 - defined, 578
 - diagnosis of
 - pulmonary function tests in, 585–586
 - epidemiology of, 578
 - high PEEP and, 582
 - in pregnancy, **577–607**
 - pulmonary edema and, 586–591
 - mechanical ventilation and, 630–582
 - mortality associated with, 584–585
 - neutrophil-dependent
 - ARDS and, 580–581
 - pathogenesis of, 580
 - prognosis of, 584–585
 - quality of life effects of, 585
 - risk factors for, 578–580
 - treatment of
 - corticosteroids in, 584
 - fluid management in, 582–583
 - inhaled nitric oxide in, 583
 - outcomes of, 584–585
 - prone positioning in, 583
 - surfactants in, 583–584
 - ventilator-associated
 - ARDS and, 581
 - ventilator-induced, 581

- Acute normovolemic hemodilution, 290-291
- Acute renal failure (ARF)
- rhabdomyolysis and management of, 180
- Acute respiratory distress syndrome (ARDS)
- causes of, 84-85, 578-580
 - characteristics of, 83
 - defined, 577-578
 - described, 83
 - diagnosis of
 - pulmonary function tests in, 585-586
 - epidemiology of, 578
 - high PEEP and, 582
 - in pregnancy, 577-607
 - effects of, 594-595
 - issues related to, 591
 - management of, 595-596
 - mechanical ventilation and, 630-582
 - mortality associated with, 584-585
 - pathogenesis of, 580
 - pathophysiology of, 85-87
 - prognosis of, 584-585
 - quality of life effects of, 585
 - risk factors for, 578-580
 - treatment of, 83-99
 - corticosteroids in, 584
 - fluid management in, 582-583
 - inhaled nitric oxide in, 583
 - outcome after, 97, 584-585
 - prone positioning in, 583
 - protocolized approach to, 94-97
 - surfactants in, 583-584
 - ventilator management in, 91-94
 - ventilator-induced lung injury and, 87-89
- β_2 -Adrenergic agonists
- for asthma during pregnancy, 735
- Advance care planning
- in ICU, 333-334
- Advanced cardiac life support
- in pregnant patients, 749-750
- AFLP. See *Acute fatty liver of pregnancy (AFLP)*.
- Africa
- critical illness and pregnancy issues in, 569-571
- Age
- as factor in blood transfusions, 286-287
- Air embolism
- venous
 - in pregnancy, 590-591
- Airway(s)
- upper
 - mucosal edema of
 - airway problems during pregnancy due to, 618
- Airway problems
- during pregnancy, 617-642
 - anesthesia-related morbidity and mortality, 621-623
 - anticipated
 - treatment of, 627
 - aspiration and, 620
 - awake fiberoptic intubation for, 627-629
 - breast enlargement and, 619
 - cardiovascular system-related, 619
 - Combitube for, 636
 - gastrointestinal anatomy and physiology-related, 619-620
 - LMA for, 633-635
 - intubating, 635
 - Proseal, 635
 - local anesthesia for, 630-633
 - management of
 - current trends in, 637-638
 - guidelines in, 623-627
 - morbid obesity and, 620-621
 - preanesthetic evaluation and, 623
 - preeclampsia and, 621
 - regional anesthesia for, 629-630
 - respiratory changes and, 618-619
 - risk factors for, 617-620
 - transtracheal jet ventilation for, 636
 - upper airway mucosal edema and, 618
 - weight gain and, 618
- ALI. See *Acute lung injury (ALI)*.
- Allergic transfusion reaction
- transfusions in ICU and, 241
- Alloimmunization
- platelet
 - transfusions in ICU and, 244
- Amino acids
- in critically ill and injured patients, 142
- Amniotic fluid embolism, 643-649
- clinical manifestations of, 646-648
 - described, 643
 - incidence of, 643-644
 - morbidity due to, 643-644
 - mortality due to, 643-644
 - pathogenesis of, 644-646
 - pathophysiology of, 644-646
 - treatment of, 648
- Analgesia/analgesics
- for pain in ICU, 392-393
 - in withdrawal of life-sustaining treatments, 440-441
- Anaphylactic transfusion reactions
- transfusions in ICU and, 241

Anemia

- adaptation to, 190-195
- bleeding-related, 165
- hemolytic, 164-165
- in cancer patients, 166-168
- in critically ill patients, **159-178**, **225-235**
 - erythropoiesis and, 160-162
 - hematocrit in, 172-173
 - hemodilution in, 172-173
 - physiologic response and, 168-171
 - transfusion for, 171
- in high-risk groups, 227-228
- in ICU, 299-301
 - adaptation to, 300
 - impairment to adaptive mechanisms in, 300-301
 - pathophysiology of, 299-300
- inflammation and, 162-164
- iron-deficiency, 164
- microcirculatory effects of, 195-196
- of critical illness
 - phlebotomy and, 314-316
 - pathophysiologic processes and interaction between, 196-202
- physiologic aspects of, **187-212**
- renal failure due to, 166
- tolerance of
 - physiologic response and, 168-171
- transfusions for
 - adaptation to, 190-195
 - benefits of, 228-233
- uncorrected
 - natural history of, 225-227

Anemia and Blood Transfusion in Critical Care (ABC) trial, 180-181, 256**Anesthesia/anesthetics**

- during pregnancy, 708
 - airway problems related to, 621-623
- local
 - for airway problems during pregnancy, 630-633
- regional
 - for airway problems during pregnancy, 629-630

Angiography

- pulmonary
 - in pulmonary embolism diagnosis, 667
- radionuclide
 - in blunt cardiac injury, 65

Antibiotic(s)

- for sepsis in pregnancy, 656-657

Anticipatory grief

- in family of critically ill patient, 460-462

Anticoagulant(s)

- for pulmonary embolism during pregnancy, 668-671
- for VTE during pregnancy, 668-671

Anti-inflammatory agents

- for sepsis in pregnancy, 658

Anxiety

- among dying patients
 - sedation for, 423-424

ARDS. See *Acute respiratory distress syndrome (ARDS)*.**ARF. See *Acute renal failure (ARF)*.****Arginine**

- in critically ill and injured patients, 144

Arterial venous catheters

- in anemia of critical illness, 315

Asia

- critical illness and pregnancy issues in, 566-569

Aspiration

- airway problems during pregnancy due to, 620
- of gastric contents
 - in pregnancy, -589

Asthma**acute**

- during pregnancy, **731-745**
 - effects of, 732-733
 - management of, 738-739
 - systemic corticosteroids in, 736
- during labor and delivery
 - management of, 741
- during pregnancy
 - management of, 734-737
 - β_2 -adrenergic agonists in, 735
 - drugs in
 - efficacy and safety of, 734-735
 - inhaled corticosteroids in, 735-736
 - ipratropium bromide in, 737
 - methylxanthines in, 737
 - obstetric, 741
 - life-threatening
 - during pregnancy, 739-740

Australia

- critical illness and pregnancy issues in, 571-572

Awake fiberoptic intubation

- for airway problems during pregnancy, 627-629

Azotemia

- nutritional support of critically ill and injured patients and, 149

B

Bereavement

- of health care professionals
- in end-of-life care in pediatric ICU, 480-482

Bioethical decision making

- among interdisciplinary team
- dying patients in ICU and, 530-531

Bleeding-related anemia, 165

Blood conservation

- for critically ill patients, **313-324**
 - appropriate transfusion thresholds in, 319-320
 - blood substitutes in, 319
 - pharmacologic hemostasis in, 318-319
 - point-of-care bedside microanalysis in, 317
 - RBC salvage techniques in, 317-318
 - recombinant human erythropoietin in, 318
 - small volume phlebotomy tubes in, 316
 - techniques for
 - evaluation of, 320-321
 - incorporation of, 320-321

Blood substitutes

- in blood conservation, 319
- in transfusions, 289-290

Blood transfusion(s)

- current practice in, **179-186**
 - studies of
 - common themes among, 183
 - studies related to, 179-185
 - Anemia and Blood Transfusion in Critical Care (ABC) trial, 180-181
 - CRIT trial, 181-182
- good practice of, 183-185
- in military situations, 282-283
- in surgery, **281-296**
 - age-related effects on, 286-287
 - blood substitutes in, 289-290
 - bloodless surgery centers, 293
 - critical care issues, 283-284
 - damage control surgery, 293
 - effects of, 285-286
 - elective surgery, 284
 - emergency-related, 284-285

history of, 281-282

intraoperative blood recovery, 291-292

"less-blood surgery," 292-293

in trauma

- age-related effects on, 286-287
- blood substitutes in, 289-290
- effects of, 285-286
- emergency-related, 284-285

Blood transfusion thresholds

- in blood conservation, 319-320

Bloodless surgery centers, 293

Blunt cardiac injury, **57-70**

- assessment of, 60-65
 - cardiac enzymes in, 63-64
 - ECG in, 60-63
 - echocardiography in, 64-65
 - radionuclide angiography in, 65
- cardiac function after
 - long-term, 66-67
- diagnosis of, 59-60
- incidence of, 57
- management of, 66
- mechanism of, 57-58
- natural history of, 57-58
- pattern of, 58

Blunt trauma

- abdominal injuries due to, 119
- thoracic, **71-81**. See also specific type and *Thoracic trauma, blunt*.

Brain death

- in pregnant patients
 - somatic support, 752-759. See also *Pregnant patients, brain dead*.
- withdrawal of life-sustaining treatments and, 448

Brain injuries

- management of, **25-41**
 - alternative methods in, 38-40
 - ICU, 33-38
 - monitoring in, 40-41
 - post-ICP, 34-37
 - preintensive care unit, 33-34
 - resuscitation in, 26-33
 - airway management, 26-27
 - algorithms in, 29-33
 - disability and, 29
 - fluid resuscitation, 27-28
 - second tier therapy in, 37-38
 - targeted therapy in, 41
 - secondary insults, 25-26

Breast(s)

- enlargement of
 - airway problems during pregnancy due to, 619

- Burn injuries
 nutritional support for, 151
- Burnout
 caregiver-related, 541-542
 factors contributing to, 542-543
 defined, 541
- C**
-
- Caloric/energy requirements
 in critically ill and injured patients, 141
- Canada
 critical illness and pregnancy issues
 in, 562
- Cancer
 anemia in patients with, 166-168
- Cardiac arrest
 during pregnancy
 causes of, 748
- Cardiac contractility
 compromised
 transfusions in, 271
- Cardiac enzymes
 in blunt cardiac injury, 63-64
- Cardiac injuries
 blunt, 57-70. See also *Blunt cardiac injury*.
- Cardiac patients
 transfusion in, 269-279. See also
 Transfusion(s), in cardiac patients.
- Cardiomyopathy(ies)
 peripartum, 777-788. See also
 Peripartum cardiomyopathy.
- Cardiopulmonary resuscitation (CPR)
 in pregnant patients, 747-761. See also
 Pregnant patients, brain dead.
 described, 747-748
 perimortem cesarean delivery,
 750-752
 physiologic changes and, 748-752
- Cardio-respiratory events
 transfusions in ICU and, 241-242
- Cardiovascular support
 for brain dead pregnant patients,
 753-754
- Cardiovascular system
 airway problems during pregnancy
 related to, 619
- Care
 healing vs.
 in critical care, 489
- Caregiver(s)
 burnout of, 541-542
 factors contributing to, 542-543
 caring for, 541-547
 stress of
 factors contributing to, 542-543
 uncertainty for
 dealing with, 545-546
- Caregiver-patient relationship, 544
- Catheter(s)
 arterial venous
 in anemia of critical illness, 315
 central venous
 in anemia of critical illness, 315
- Central line complications
 nutritional support of critically ill and
 injured patients and, 151
- Central venous catheters
 in anemia of critical illness, 315
- Chest
 damage control surgery for
 procedure for, 109-111
- Children
 transfusions in, 299-311. See also
 Transfusion(s), in children.
- Clonidine
 for pain in ICU, 394
- CMV. See *Cytomegalovirus (CMV)*.
- Coagulation defects
 in HELLP syndrome, 769
 in trauma patients, 13-24
 causes of, 13-15
 dilution and, 13-14
 hypothermia and, 14
 recognition of, 16-17
 testing in, 16-17
 trauma and, 15
 treatment of, 17-21
 adjunctive, 19-21
 before procedures in, 21
 transfusions in, 17-19
 underlying disease and, 15
- Coagulopathy(ies)
 damage control surgery for
 procedure for, 113
 damage control surgery in, 104
- Cognition
 impaired
 in dying patients
 prevalence of, 410-411
- Coma
 withdrawal of life-sustaining treatments
 and, 448

- Combitube
for airway problems during pregnancy, 636
- Communication
about end-of-life care
with patients and families in ICU, 363-380. See also *End-of-life care, communication about, with patients and families in ICU.*
in caring for family of critically ill patient, 454-455
- Compartment syndrome
rhabdomyolysis and management of, 181-182
- Compressive ultrasound
in deep vein thrombosis diagnosis, 664-665
- Computed tomography (CT)
in abdominal injuries, 122-123
in pulmonary embolism, 666-667
- Conflict
caring for family of critically ill patient and, 454-455
- Consent
informed
in withdrawal of life-sustaining treatments, 438-439
- Contusion(s)
pulmonary
thoracic trauma and, 77-78
- Coping
spiritual
in critical care, 495
- Coronary artery disease
transfusions in, 270-271
- Corticosteroid(s)
for ALI and ARDS, 584
inhaled
for asthma during pregnancy, 735-736
systemic
for asthma during pregnancy, 736
- CPR. See *Cardiopulmonary resuscitation (CPR).*
- Creutzfeldt-Jakob disease
new variant
transfusion-transmitted, 248-249
transfusion-transmitted, 248
- CRIT trial, 181-182
- Critical care
healing vs. care in, 489
spirituality in, 487-504. See also *Spirituality, in critical care.*
- Critical illness
pregnancy and
global analysis of, 555-576. See also *Pregnancy, critical illness and, global analysis of.*
- Critically ill patients
anemia in, 159-178, 225-235. See also *Anemia, in critically ill patients.*
family of
caring for, 453-466. See also *Family(ies), of critically ill patient, caring for.*
- Crush injuries
mass casualties, 186-187
rhabdomyolysis due to, 171-192. See also *Rhabdomyolysis, crush injuries and.*
- Crush syndrome, 174-176
- CT. See *Computed tomography (CT).*
- Cystic fibrosis
during pregnancy, 713-716
- Cytomegalovirus (CMV)
transfusion-transmitted, 247
-
- D**
- Damage control surgery, 101-118, 293
abdomen-related
procedure for, 109
abdominal compartment syndrome due to, 114-115
acidosis-related, 104
chest-related
procedure for, 109-111
coagulopathy-related, 104-106
complications of, 114
historical perspective on, 101-102
hypothermia-related, 103-104
procedure for, 106-113
for acidosis, 112-113
for coagulopathy, 113
for hypothermia, 111-112
initial management, 106-107
resuscitation in, 111-113
results of, 114-115
- Death
clinicians' discomfort with discussing understanding of, 377
- Deep vein thrombosis
during pregnancy
diagnosis of, 664-666

- Delirium
among dying patients, **419-433**
- Diagnostic peritoneal lavage
in abdominal injuries, 122
- Diaphragm
injuries of, 123-124
- Dilution
coagulation defects in trauma patients
due to, 13-14
- D-Dimer testing
in deep vein thrombosis diagnosis,
665-666
- Disability(ies)
brain injuries and
management of
resuscitation in, 29
- Duodenum
injuries of, 127-128
- Dying patients
delirium and sedation related to,
419-433. See also *Sedation*.
impaired cognition in
prevalence of, 410-411
in ICU
interdisciplinary team's role in,
525-540
bioethical decision making,
530-531
collaboration among,
527-528
research on, 528-530
communication with
family members
research on, 532-534
nurses on team
research on, 531-532
teams external to ICU,
535-536
respiratory distress in
prevalence of, 409-410
terminal dyspnea in
prevalence of, 409-410
- Dyspnea
defined, 404
described, 404-406
terminal
antecedent conditions producing,
406-409
physiologic antecedents,
407-409
assessment of, 411-412
ethical considerations related
to, 413
in dying patients
prevalence of, 409-410

- respiratory distress and, **403-417**
models of, 404-406
treatment of, 412-413

E

- ECG. See *Electrocardiography (ECG)*.
- Echocardiography
in blunt cardiac injury, 64-65
- Eclampsia, 703-707, 764-765
clinical manifestations of, 765
pathophysiology of, 764
prevalence of, 764
treatment of, 706-707, 765
- Edema
mucosal
upper airway
airway problems during
pregnancy due to, 618
pulmonary. See *Pulmonary edema*.
- Elderly
transfusions in, 271
trauma in
initial management of, 7-8
- Electrocardiography (ECG)
in blunt cardiac injury, 60-63
- Electrolyte requirements
in critically ill and injured patients,
142-143
- Embolectomy
for pulmonary embolism during
pregnancy, 673-674
for VTE during pregnancy, 673-674
- Embolism
air
venous
in pregnancy, 590-591
amniotic fluid, **643-649**. See also
Amniotic fluid embolism.
- Emotional support
in withdrawal of life-sustaining
treatments, 444-445
- Endocrine support
for brain dead pregnant patients,
754-755
- End-of-life care
communication about
with patients and families in ICU,
363-380
clinicians' discomfort
with, 377
clinicians effectiveness
in, 365

- discussion of, 369-374
 - completion of, 372-374
 - components in, 368
 - dying and death in, 370-372
 - preparations for, 369-370
 - ICU team's role in, 366-367
 - improvements for, 365-366
 - medical futility in, 375-377
 - personnel involved in, 364-365
 - timing of, 367, 369
 - uniqueness of, 364
 - withholding or withdrawing life support, 374-375
 - in pediatric ICU, **467-485**
 - analgesia for, 477
 - ethical justification for, 477-478
 - future directions related to, 482-483
 - grief and bereavement of health care professionals, 480-482
 - literature related to, 469-476
 - neuromuscular blockade in, 478-479
 - practical aspects of, 477-480
 - prevalence of, 467
 - resuscitation attempts
 - family presence during, 479-480
 - pain management in
 - approaches to, 395-396
 - problems associated with, 453-454
 - sedation during, **419-433**
 - End-of-life decision making
 - by family of critically ill patient
 - considerations related to, 455-458
 - ICU outcome prediction models in
 - future directions in, 359-360
 - mortality-related, 347-354
 - context of, 346
 - historical background of, 346
 - model performance and interpretation in, 349-354
 - beyond R^2 , 349-350
 - model discrimination in, 352-354
 - probability of death in, 350-352
 - model speculation in, 369
 - discharge vs. admissions models, 348
 - dynamic vs. static models, 348-349
 - generic vs. disease-specific models, 346-348
 - policy-related, 359-360
 - quality improvement and, 359
 - research-related, 359-360
 - use in clinical decision making, 354-359
 - value and role of, **345-362**
 - Enzyme(s)
 - cardiac
 - in blunt cardiac injury, 63-64
 - Epogen
 - as adjunct to transfusion/conservation methods, 288-289
 - Erythropoiesis
 - described, 160
 - in critically ill patients, 160-162
 - Ethical issues
 - ICU-related, **505-523**. See also *Intensive care unit (ICU), ethical issues in*.
 - of brain dead pregnant patients, 758-759
 - respiratory distress-related, 413
 - spirituality in critical care-related, 490-495
 - terminal dyspnea-related, 413
 - Europe
 - critical illness and pregnancy issues in, 562-566
-
- F**
- Family(ies)
 - of critically ill patient
 - anticipatory grief in, 460-462
 - caring for, **453-466**
 - communication and conflict in, 454-455
 - satisfaction of, 453-454
 - end-of-life decision making by
 - considerations related to, 455-458
 - psychosocial needs of, 458-460
 - FAST. See *Focused assessment with sonography for trauma (FAST)*.
 - Fat emboli syndrome
 - femoral fractures and
 - in multiply injured patient, 161
 - Fat overload syndrome
 - nutritional support of critically ill and injured patients and, 149
 - Febrile nonhemolytic reaction
 - transfusions in ICU and, 240-241
 - Femoral fractures
 - in multiply injured patient
 - evaluation of, 157-158

- fat emboli syndrome and, 161
- fracture fixation for
 - timing of, 159
- head injuries associated with, 159-161
- initial management of, **157-169**

Fetus

- during normal pregnancy
- physiology of, 613-614

Fick equation, 140

Flail chest

- thoracic trauma and, 74-76

Fluid(s)

- with ALI and ARDS, 582-583

Focused assessment with sonography for

- trauma (FAST)
- in abdominal injuries, 121

Fracture(s)

femoral

- in multiply injured patient
 - initial management of, **157-169**
- in multiply injured patients
 - initial management of. See also *Femoral fractures, in multiply injured patient.*

pelvic

- in multiply injured patient
 - initial management of. See also *Pelvic fractures, in multiply injured patient.*

rib

- thoracic trauma and, 73-74

G

Gastrointestinal system

- anatomy and physiology of
- airway problems during pregnancy related to, 619-620

Glucose/insulin

- in critically ill and injured patients, 142

Glutamine

- in critically ill and injured patients, 144

Graft-versus-host disease

- transfusion-associated, 244-245

Grief

- anticipatory
 - in family of critically ill patient, 460-462
- of health care professionals
 - in end-of-life care in pediatric ICU, 480-482

H

Head injuries

- femoral fractures and
 - in multiply injured patient, 159-161
- nutritional support for, 151

Healing

- care vs.
 - in critical care, 489

HELLP syndrome, 765-771

- clinical manifestations of, 766-768
- coagulation abnormalities in, 769
- described, 765-766
- diagnosis of
 - laboratory investigation in, 768-769
- differential diagnosis of, 709
- during pregnancy, 708-709
- liver function in, 769
- pathophysiology of, 766
- renal failure in, 769
- treatment of, 709, 770-771

Hematocrit

- hemodilution and, 172-173

Hemodilution

- hematocrit and, 172-173

Hemolytic anemia, 164-165

Hemolytic transfusion reactions

- transfusions in ICU and, 238-240

Hemosiderosis

- transfusion-related, 245

Hemostasis

- pharmacologic
 - in blood conservation, 318-319

Hepatic steatosis

- nutritional support of critically ill and injured patients and, 150

Hepatitis

- transfusion-transmitted, 246-247

HIV infection. See *Human immunodeficiency virus (HIV) infection.*

Hollow viscus

- injuries of, 128-129

Human immunodeficiency virus

- (HIV) infection
 - transfusion-transmitted, 245-246

Hypercapnia

- maternal
 - effects of, 592-594
- nutritional support of critically ill and injured patients and, 150

- Hypertension
 chronic
 during pregnancy, 701-703
 pregnancy-induced
 pathogenesis of, 701
- Hypertensive disorders
 during pregnancy, **699-713**
 anesthesia and, 708
 chronic hypertension, 701-703
 described, 699-700
 eclampsia, 703-707
 HELLP syndrome, 708-709
 pathogenesis of, 701
 preeclampsia, 703-707
 seizures, 707-708
 treatment of
 postpartum course, 709
- Hypertriglyceridemia
 nutritional support of critically ill and injured patients and, 149-150
- Hypocapnia
 maternal
 effects of, 592
- Hypothermia
 coagulation defects in trauma patients due to, 14
 damage control surgery for, 103-104
 procedure for, 111-112

I

ICU. See also *Intensive care unit (ICU)*.

- Immunocompetence
 in critically ill and injured patients, 138
- Immunomodulation
 transfusion-related, 245
- Immunonutrition
 in critically ill and injured patients, 144-146
- Impedance plethysmography
 in deep vein thrombosis diagnosis, 665
- Infection(s)
 emerging
 transfusion-transmitted, 248-249
- Infectious diseases
 in brain dead pregnant patients, 757
- Inflammation
 anemia and, 162-164
- Informed consent
 in withdrawal of life-sustaining treatments, 438-439
- Initial sample "waste"
 in anemia of critical illness, 315-316
- Insulin
 for sepsis in pregnancy, 658
- Intensive care unit (ICU)
 advance care planning in, 333-334
 anemia in, 299-301
 brain injury management in, 33-38. See also *Brain injuries, management of*.
 cardiac patients in
 transfusions for, 272-274
 communication about end-of-life care with patients and families in, **363-380**. See also *End-of-life care, communication about, with patients and families in ICU*.
 critical illness during pregnancy and admission to
 global analysis of, 557-559
 dying patients in
 interdisciplinary team's role in, **525-540**. See also *Dying patients, in ICU, interdisciplinary team's role in*.
 ethical issues in, **505-523**
 case study, 505-506
 effectiveness of, 510-513
 emergence of, 507-509
 models for, 513-517
 vs. palliative care consultation, 517-520
 life-sustaining treatment in
 withholding and withdrawal of, 332-333
 medical decision making in
 models of, 331-332
 pain management in, **381-401**. See also *Pain management, in ICU*.
 palliative care consultation in, **505-523**
 case study, 505-506
 effectiveness of, 510-513
 emergence of, 507-509
 models for, 513-517
 vs. ethics, 517-520
 palliative care in, **329-343**
 education for, 337
 future research related to, 338-339
 instrumentation in, 338-339
 protocols for, 338-339
 pediatric
 end-of-life care in, **467-485**. See also *End-of-life care, in pediatric ICU*.
 physician-patient-family relationship in, 334-337
 stressors specific to, 543-544
 symptom control in, 329-331
 transfusions in
 risk factors for, **237-253**

- Intensive care unit (ICU) outcome
 prediction models
 in end-of-life decision making
 value and role of, 345-362
- Interdisciplinary team
 described, 526
 role with dying patients in ICU,
 525-540. See also *Dying patients,
 in ICU, interdisciplinary team's
 role in.*
- Intraoperative blood recovery
 during transfusion, 291-292
- Ipratropium bromide
 for asthma during pregnancy, 737
- Iron-deficiency anemia, 164
- IVC filters
 for pulmonary embolism during
 pregnancy, 672
 for VTE during pregnancy, 672
-
- K**
- Ketorolac
 for pain in ICU, 394
-
- L**
- Labor and delivery
 asthma during
 management of, 741
- Laparoscopy
 in abdominal injuries, 123
- Laryngeal mask airway (LMA)
 for airway problems during pregnancy,
 633-635
 intubating
 for airway problems during
 pregnancy, 635
 Proseal
 for airway problems during
 pregnancy, 635
- Legal issues
 of brain dead pregnant patients, 758-759
- "Less-blood surgery," 292-293
- Life support
 withholding or withdrawal of
 decision-making related to,
 374-375
- Life-sustaining treatments
 in ICU
 withholding and withdrawal of,
 332-333
- withdrawal of
 appropriate setting and monitoring
 during, 439-440
 brain death due to, 448
 coma due to, 448
 decision to
 principles and practice of,
 437-438
 documentation in, 445
 emotional support in, 444-445
 evaluation of, 445-446
 in special cases, 446-449
 informed consent and, 438-439
 nursing support in, 444-445
 pastoral support in, 444-445
 pharmacologic paralysis due to,
 448-449
 plan for, 441-444
 principles and practice of, 435-451
 mechanical ventilation,
 435-437
 sedation and analgesia in, 440-441
 survival despite, 447-448
- Linoleic acid
 in critically ill and injured patients, 144
- Liver
 injuries of, 124-126
- Liver dysfunction
 severe
 pregnancy-associated, 763-776
 AFLP, 771-774
 HELLP syndrome, 765-771
- Liver function
 in HELLP syndrome, 769
- LMA. See *Laryngeal mask airway (LMA).*
- Local anesthesia
 for airway problems during pregnancy,
 630-633
- Lung injuries
 ventilator-induced, 87-89
-
- M**
- Magnetic resonance angiography (MRA)
 in pulmonary embolism diagnosis, 668
- Magnetic resonance imaging (MRI)
 in pulmonary embolism diagnosis, 668
- Mannitol
 for crush injuries, 179
 for rhabdomyolysis, 179
- Maternal hypercapnia
 effects of, 592-594
- Maternal hypocapnia
 effects of, 592

- Mechanical ventilation
ALI and ARDS due to, 630-582
noninvasive
 withdrawal of, 446
 withdrawal of
 plan for, 443-444
 principles of, 435-437
 with potential survival, 447
- Medical disorders
 vs. obstetric disorders
 global analysis of, 559-560
- Metabolic acidosis
 nutritional support of critically ill and injured patients and, 150
- Metabolic requirements
 in critically ill and injured patients, 139-140
- Methylxanthine(s)
 for asthma during pregnancy, 737
- Microcirculation
 described, 217-218
 tissue oxygen delivery in, 213-223.
 See also *Tissue oxygen delivery, in microcirculation.*
- Military situations
 transfusions in, 282-283
- Mitral valve insufficiency
 transfusions in, 271
- MRA. See *Magnetic resonance angiography (MRA).*
- MRI. See *Magnetic resonance imaging (MRI).*
- Mucosal edema
 upper airway
 airway problems during pregnancy due to, 618
- Multiply injured patients
 femoral fractures in
 initial management of, 157-169.
 See also *Femoral fractures, in multiply injured patient.*
 pelvic ring injuries in, 161-165. See also *Pelvic ring injuries, in multiply injured patient.*

N

- Neuromuscular blockade
 in end-of-life care in pediatric ICU, 478-479
- Neutrophil-dependent lung injury
 ARDS and, 580-581
- Nitric oxide
 inhaled
 for ALI and ARDS, 583

- Nociception
 physiology of
 implications in pain therapy, 386-388
- Nucleotide(s)
 in critically ill and injured patients, 144-146
- Nursing support
 in withdrawal of life-sustaining treatments, 444-445
- Nutritional support
 for brain dead pregnant patients, 756-757
 of critically ill and injured patients, 135-156
 amino acids, 142
 assessment in, 135-137
 burn injuries, 151
 caloric and nitrogen balance studies, 138
 caloric/energy requirements, 141
 complications of, 149-151
 electrolyte requirements, 142-143
 feeding access in, 148-149
 Fick equation, 140
 glucose/insulin, 142
 head injuries, 151
 immunocompetence in, 138
 immunonutrition, 144-146
 metabolic requirements, 139-140
 metabolic responses to, 143
 obese patients, 151
 patient population for, 140-141
 protein requirements, 141-142
 route of administration for, 147-148
 serum albumin, 137-138
 timing of, 146-147
 trace elements, 143

O

- Obesity
 among critically ill and injured persons
 nutritional support for, 151
 morbid
 airway problems during pregnancy due to, 620-621
- Obstetric disorders
 organ failure due to
 global analysis of, 557
 racial differences in
 global analysis of, 559
 vs. medical disorders
 global analysis of, 559-560
- OHSS. See *Ovarian hyperstimulation syndrome (OHSS).*

- Opiate(s)
for pain in ICU, 390-392
adverse effects of, 393-394
- Ovarian hyperstimulation syndrome (OHSS),
679-695
classification of, 682-684
clinical features of, 684-687
described, 679-680
epidemiology of, 680-682
management of, 687-692
pathogenesis of, 680
prevalence of, 680-681
risk factors for, 681-682
- Overfeeding
nutritional support of critically ill and
injured patients and, 149
- Oxygen delivery equation, 213
- Oxygen kinetics
RBC transfusions and, 202-203
- Oxygen transport
overview of, 187-190
- Oxygenation
for sepsis in pregnancy, 657-658
-
- P**
- Pain management
in ICU, **381-401**
adjuvant therapies in, 394-395
analgesic agents in, 392-393
approaches to, 395-396
evaluation of, 388-389
monitoring of, 388-389
nonopiate therapies in, 394-395
opiates in
adverse effects of, 393-394
dosing and titration of,
391-392
route and method for,
390-391
physiology of nociception in,
386-388
principles of, 389-390
within interdisciplinary
palliative model
principles of, 382-385
- Palliative care
in ICU, **329-343**. See also *Intensive care
unit (ICU)*.
- Palliative care consultation
ICU-related, **505-523**. See also
*Intensive care unit (ICU), palliative
care consultation in*.
- Palliative care education
ICU-related, 337
- Pancreas
injuries of, 126-127
- Parasitic infections
transfusion-transmitted, 247-248
- Pastoral support
in withdrawal of life-sustaining
treatments, 444-445
- Pathophysiologic processes
anemia and
interaction between, 196-202
- Pediatric ICU
end-of-life care in, **467-485**. See also
End-of-life care, in pediatric ICU.
- PEEP. See *Positive end-expiratory
pressure (PEEP)*.
- Pelvic ring injuries
in multiply injured patient, 161-165
classification of, 163
described, 161-162
evaluation of, 162-163
management of, 164-165
urologic injuries associated with,
163-164
- Penetrating trauma
abdominal injuries due to, 119-120
- Perimortem cesarean delivery
CPR for, 750-752
- Peripartum cardiomyopathy, **777-788**
defined, 777-778
diagnostic evaluation of, 781-782
epidemiology of, 778-779
incidence of, 778
pathogenesis of, 779-781
prognosis of, 784-785
treatment of, 782-784
outcome of, 784-785
- Peritoneal lavage
diagnostic
in abdominal injuries, 122
- Pharmacologic hemostasis
in blood conservation, 318-319
- Pharmacologic paralysis
withdrawal of life-sustaining treatments
and, 448-449
- Phlebotomy
and anemia of critical illness, 314-316
diagnostic
routine, 314-315
- Phlebotomy tubes
small volume, 316
- Physician-patient-family relationship
in ICU, 334-337

- Physiologic response
tolerance of anemia determined by,
168-171
- Platelet alloimmunization
transfusions in ICU and, 244
- Plethysmography
impedance
in deep vein thrombosis
diagnosis, 665
- Point-of-care bedside microanalysis
in blood conservation, 317
- Positive end-expiratory pressure (PEEP)
high
ALI and ARDS effects of, 582
- Post-transfusion purpura
transfusions in ICU and, 244
- Posttraumatic respiratory failure
management of, 83-99. See also *Acute
respiratory distress syndrome
(ARDS), management of.*
- Preanesthetic evaluation
airway problems during pregnancy due
to, 623
- Preeclampsia, 703-707, 764-765
airway problems during pregnancy due
to, 621
clinical manifestations of, 765
diagnosis of, 705-706
pathogenesis of, 703-704
pathophysiology of, 764
prediction of, 704-705
prevalence of, 764
pulmonary edema and, 588
treatment of, 706-707, 765
- Pregnancy
acute asthma during, 731-745. See also
Asthma, acute, during pregnancy.
advanced cardiac life support during,
749-750
airway problems during, 617-642. See
also *Airway problems,
during pregnancy.*
ALI during, 577-607
anatomic changes during
airway problems due to, 617-618
ARDS during, 577-607. See also *Acute
respiratory distress syndrome
(ARDS), in pregnancy.*
aspiration of gastric contents in, -589
cardiac arrest during
causes of, 748
CPR during, 747-761. See also
*Cardiopulmonary resuscitation
(CPR), in pregnant patients.*
critical illness and
global analysis of, 555-576
anteptarum vs. postpartum
admissions, 560
geographic differences,
561-572. See also
Europe; *specific
countries or continents
e.g., Africa.*
obstetric disorders
organ failure due to, 557
racial differences in, 559
vs. medical disorders,
559-560
prognostic scores and
outcomes, 560-561
risk factors for ICU
admissions, 557-559
cystic fibrosis during, 713-716
effects on asthma, 733-734
fetal physiologic considerations during,
731-732
hypertensive disorders during, 699-713.
See also *Hypertensive disorders,
during pregnancy.*
liver dysfunction in, 763-776. See also
*Liver dysfunction, severe,
pregnancy-associated.*
maternal physiologic considerations
during, 731-732
normal
cardiac changes during, 611-612
fetal physiology during, 613-614
gastrointestinal changes during, 613
general changes during, 609-610
physiology of, 609-615
renal changes during, 612
respiratory changes during,
610-611
physiologic changes during
airway problems due to, 617-618
physiologic changes of
CPR implications, 748-752
primary pulmonary hypertension during,
716-724. See also *Primary
pulmonary hypertension,
during pregnancy.*
puerperium and, 718-719
pulmonary disease
exacerbation of, 713-730
pulmonary embolism during, 661-677.
See also *Pulmonary embolism,
during pregnancy.*
seizures during
prevention of, 707-708
sepsis in, 651-660. See also *Sepsis,
in pregnancy.*
septic shock in, 651-660
venous air embolism in, 590-591

- VTE during, **661-677**. See also *Venous thromboembolism (VTE)*, during pregnancy.
- Pregnant patients
 brain dead. See also *Cardiopulmonary resuscitation (CPR)*, in pregnant patients.
 cardiovascular support for, 753-754
 endocrine support for, 754-755
 ethical considerations related to, 758-759
 fetal outcomes in, 757-758
 infectious diseases in, 757
 legal considerations related to, 758-759
 nutritional support in, 756-757
 obstetric considerations in, 757-758
 respiratory support for, 755
 somatic support of, 752-759
 temperature regulation in, 755-756
- Primary pulmonary hypertension
 described, 716-718
 diagnostic classification of, 717
 during pregnancy, 716-724
 clinical presentation of, 719-720
 diagnostic evaluation of, 719-720
 management of, 720-724
 puerperium and, 718-719
- Prone positioning
 for ALI and ARDS, 583
- Proseal LMA
 for airway problems during pregnancy, 635
- Protein requirements
 in critically ill and injured patients, 141-142
- Psychosocial needs
 of family in ICU, 458-460
- Puerperium
 pregnancy and, 718-719
- Pulmonary angiography
 in pulmonary embolism diagnosis, 667
- Pulmonary contusion
 thoracic trauma and, 77-78
- Pulmonary disease
 during pregnancy. See also Primary pulmonary hypertension; specific diseases, e.g., Cystic fibrosis.
 cystic fibrosis, 713-716
 exacerbation of, **713-730**
 primary pulmonary hypertension, 716-724
 sarcoidosis, 724, 726-727
- Pulmonary edema
 ALI in pregnancy and, 586-591
 preeclampsia-related, 588
- Pulmonary embolism
 during pregnancy, **661-677**
 diagnosis of, 663-668
 epidemiology of, 662
 pathophysiology of, 663
 treatment of, 668-674
 anticoagulants in, 668-671
 embolectomy in, 673-674
 IVC filters in, 672
 supportive care in, 671-672
 thrombolytic therapy in, 673
 unstable
 during pregnancy
 treatment of, 671
- Pulmonary function tests
 for ALI and ARDS, 585-586
-
- Q**
- Quality of life
 ALI and, 585
 ARDS and, 585
-
- R**
- Race
 as factor in obstetric disorders
 global analysis of, 559
- Radiography
 in abdominal injuries, 121
 in initial management of trauma patients, 6
- Radionuclide angiography
 in blunt cardiac injury, 65
- RBC. See *Red blood cell (RBC)*.
- Recombinant human erythropoietin
 in blood conservation, 318
- Red blood cell (RBC) salvage techniques
 in blood conservation, 317-318
- Red blood cell (RBC) storage
 in critically ill patients with anemia, 171
- Red blood cell (RBC) transfusions
 for anemia
 microcirculatory effects of, 195-196
 in critically ill patients
 efficacy of, **255-267**
 oxygen kinetics and, 202-202
- Refeeding syndrome
 nutritional support of critically ill and injured patients and, 150

- Regional anesthesia
for airway problems during pregnancy,
629-630
- Renal failure
acute
rhabdomyolysis and
management of, 180
anemia and, 166
HELLP syndrome and, 769
rhabdomyolysis and
risk factors for, 182-185
- Renal injuries
rhabdomyolysis and
pathophysiology of, 176-178
- Respiratory distress
antecedent conditions producing,
406-409
physiologic antecedents, 407-409
assessment of, 411-412
defined, 404
ethical considerations related to, 413
in dying patients
prevalence of, 409-410
terminal dyspnea and, **403-417**. See also
Dyspnea, terminal.
treatment of, 412-413
- Respiratory support
for brain dead pregnant patients, 755
- Resuscitation
fluid
for traumatic brain injury, 27-28
for traumatic brain injury, 26-33. See
also *Brain injuries, management of*,
resuscitation in.
- Resuscitation attempts
in pediatric ICU
family presence during, 479-480
- Rhabdomyolysis
compartment syndrome and
management of, 181-182
crush injuries and, **171-192**
acute renal failure due to
management of, 180
causes of, 172-173
diagnosis of, 178
management of, 178-186
algorithm in, 185, 186
mannitol in, 179
mass casualties, 186-187
pathogenesis of, 173-174
prevalence of, 171
renal failure due to
risk factors for, 182-185
renal injury associated with
pathophysiology of, 176-178
- Rib fractures
thoracic trauma and, 73-74
-
- S**
- Sarcoidosis
during pregnancy, 724, 726-727
- Sedation
during end-of-life care, **419-433**
for dying patients, **419-433**
after changing goals of care,
424-429
analgesia, 422-423
for anxiety, 423-424
goals of
communication of, 429-430
in withdrawal of life-sustaining
treatments, 440-441
- Seizure(s)
during pregnancy
prevention of, 707-708
- Sepsis
defined, 651-652
in pregnancy, **651-660**
causes of, 652-653
clinical manifestations of, 654-656
management of, 656-659
antibiotics in, 656-657
anti-inflammatory agents
in, 658
hemodynamic status
optimization in, 657
identification of source of
infection in, 656
insulin in, 658
oxygenation in, 657-658
prophylactic measures in,
658-659
pathophysiology of, 653-654
- Septic shock
in pregnancy, **651-660**
- Serum albumin
in critically ill and injured patients,
137-138
- Shock
septic
in pregnancy, **651-660**
- South America
critical illness and pregnancy issues
in, 571
- Spinal cord trauma
management of, **41-51**. See also *Spine*
injuries, management of.

Spine injuries

- management of, **41-51**
 - airway management in, 45-47
 - circulation in, 47
 - clearing spine in, 43-45
 - deep vein thrombosis/pulmonary embolism in, 50-51
 - general care in, 50-51
 - pulmonary care in, 50
 - skin care in, 50
 - steroids in, 49
 - surgical
 - timing of, 47-49
 - urinary system in, 51

Spiritual care

- in critical care, 496-497, 499-501

Spiritual coping

- in critical care, 495

Spirituality

- in critical care, **487-504**
 - as patient need, 491-492
 - ethical issues related to, 490-495
 - healing vs. care and, 489
 - in patient and caregiver coping, 493-495
 - praying with patients and families or loved ones, 501
 - spiritual care and, 496-497, 499-501
 - spiritual coping and, 495
 - spiritual history and, 497-499
 - suffering and, 488-489

Spleen

- injuries of, 124-126

Steatosis

- hepatic
 - nutritional support of critically ill and injured patients and, 150

Steroid(s)

- in spine injury management, 49

Stress

- caregiver-related
 - factors contributing to, 542-543

Stressor(s)

- ICU-related, 543-544

Study to Understand Prognosis and Preference for Outcomes and Risks of Treatment, 453

Suffering

- defined, 488-489

Support

- in withdrawal of life-sustaining treatments, 444-445

Surfactant(s)

- for ALI and ARDS, 583-584

Surgery

- bloodless, 290
- transfusions in, **281-296**. See also *Blood transfusion(s)*, in surgery.

Surgery centers

- bloodless, 293

T

Temperature regulation

- in brain dead pregnant patients, 755-756

Terminal dyspnea

- respiratory distress and, **403-417**

Thoracic trauma

- blunt, **71-81**. See also specific trauma, e.g., *Flail chest*.
 - flail chest, 74-76
 - mechanism of injury in, 71-73
 - outcome of, 78-79
 - pulmonary contusion, 77-78
 - rib fractures, 73-74

Thrombolytic therapy

- for pulmonary embolism during pregnancy, 673
- for VTE during pregnancy, 673

Tissue oxygen delivery

- in microcirculation, **213-223**
 - central and regional circulations, 214-217
 - in critically ill persons, 219-222
 - physiology of, 214-218

Trace elements

- in critically ill and injured patients, 143

Transfusion(s)

- blood. See *Blood transfusion(s)*.
- for anemia
 - adaptation to, 190-195
 - benefits of, 228-233
 - in critically ill patients, 171
- for coagulation defects in trauma patients, 17-19
 - complications of, 19
- in cardiac patients, **269-279**
 - compromised cardiac contractility, 271
 - coronary artery disease, 270-271
 - elderly, 271
 - ICU patients, 272-274
 - mitral valve insufficiency, 271
 - postoperative period, 272
 - triggers for, 274-276
- in children, **299-311**
 - clinical evidence for, 302-304

- considerations in, 306-307
 guidelines for, 304-305
 risks vs. benefits for, 301-302
 standards of practice for, 304-306
- in ICU
 acute infectious (bacterial),
 nonimmune reactions to, 243
 adverse effects of
 prevalence of, 237-238
 delayed hemolytic reactions to, 243
 delayed nonhemolytic reactions to,
 244-245
 diseases transmitted by, 245-248
 CMV, 247
 Creutzfeldt-Jakob
 disease, 248
 new variant, 248-249
 emerging infections,
 248-249
 hepatitis, 246-247
 HIV infection, 245-246
 parasitic infections, 247-248
 West Nile virus, 249
 errors associated with, 249-250
 graft-versus-host disease and,
 244-245
 hemosiderosis due to, 245
 immune-mediated reactions to,
 238-242
 allergic transfusion
 reaction, 241
 anaphylactic transfusion
 reactions, 241
 cardio-respiratory events,
 241-242
 febrile nonhemolytic reaction,
 240-241
 hemolytic transfusion
 reactions, 238-240
 immunomodulation due to, 245
 nonimmune-mediated reactions to,
 242-243
 noninfectious, nonimmune
 reactions to, 242-243
 platelet alloimmunization due
 to, 244
 post-transfusion purpura and, 244
 risk factors for, 237-253
 future strategies in reduction
 of, 250
- RBC
 for anemia
 microcirculatory effects of,
 195-196
 in critically ill patients
 efficacy of, 255-267
- Transfusion/conservation methods
 adjuncts to, 288-289
 Epogen, 288-289
- Transtacheal jet ventilation
 for airway problems during
 pregnancy, 636
- Trauma
 blunt
 abdominal injuries due to, 119
 coagulation defects due to, 15
 penetrating
 abdominal injuries due to, 119-120
 prevalence of, 1
 transfusions due to, 281-296. See also
 Blood transfusion(s), in trauma.
- Trauma patients
 coagulation defects in, 13-24. See also
 *Coagulation defects, in
 trauma patients.*
 geriatric
 initial management of, 7-8
 initial management of, 1-11
 prehospital care, 2-3
 primary survey in, 3-6
 radiographs in, 6
 secondary survey in, 7
 tertiary survey in, 8-9
-
- U
- Ultrasound
 compressive
 in deep vein thrombosis diagnosis,
 664-665
- United States
 critical illness and pregnancy issues
 in, 562
- Upper airway
 mucosal edema of
 airway problems during pregnancy
 due to, 618
- Urologic injuries
 pelvic ring injuries and
 in multiply injured patient,
 163-164
-
- V
- Venous air embolism
 in pregnancy, 590-591
- Venous thromboembolism (VTE)
 described, 661
 during pregnancy, 661-677
 diagnosis of, 663-668
 epidemiology of, 662
 pathophysiology of, 663

- treatment of, 668-674
 - anticoagulants in, 668-671
 - embolectomy in, 673-674
 - IVC filters in, 672
 - supportive care in, 671-672
 - thrombolytic therapy in, 673

Ventilation

- mechanical. See *Mechanical ventilation*.
- transtracheal jet
 - for airway problems during pregnancy, 636

- Ventilation-perfusion (VQ) scanning
 - in pulmonary embolism diagnosis, 666-667

Ventilator(s)

- ARDS due to, 581
- lung injury due to, 87-89, 581

VTE. See *Venous thromboembolism (VTE)*.

W

Weight gain

- airway problems during pregnancy due to, 618

West Nile virus

- transfusion-transmitted, 249